

T17

May 20, 2004 3:00PM

USER COMMUNITY MODELING
LANGUAGE (UCML) FOR
PERFORMANCE TESTING
WORKLOADS

Scott Barber
Authentec

Scott Barber

Scott Barber is a System Test Engineer and Quality Assurance Manager for [AuthenTec, Inc.](#) and a member of the Technical Advisory Board for [Stanley Reid Consulting, Inc.](#) With a background in network architecture, systems design, database design and administration, programming, and management, Scott has become a recognized thought leader in the context-driven school of the software testing industry. Before joining AuthenTec, he was a consultant specializing in Performance Testing/Analysis, a Company Commander in the United States Army, a DBA and a Government Contractor in the transportation industry.

Scott is a Discussion Facilitator in the [Rational Developer Network public forums](#) and a moderator for the Performance Testing and Rational TestStudio related forums on [QAForums.com](#). [Scott's Web site](#) complements this series. Please visit it to find more detail on some topics and view slides from various presentations he's given recently. You can address questions/comments to him on either forum or contact him directly via [e-mail](#).

AuthenTec, Inc. is a leading semiconductor company providing advanced biometric fingerprint sensors to the PC, wireless, PDA, access control and automotive markets. AuthenTec's FingerLoc and EntréPad product families utilize the Company's patented TruePrint™ technology, the first technology capable of imaging everyone under virtually any condition.

Stanley Reid Consulting, Inc. (SRC) is a small, niche consulting company that focuses on IT organizational improvement and recruiting and staffing of technical experts. SRC helps your team achieve consistent, successful delivery of IT projects through the following services: IT Organizational Improvement Consulting, Expert Supplemental Staffing, Technical Recruiting & Placement.

UCML 1.1™ (User Community Modeling Language)

User Community Modeling Language (UCML 1.1™) for Performance Test Workloads

Scott Barber
AuthenTec, Inc

© copyright 2003





UCML 1.1™ (User Community Modeling Language)

Agenda

Introduction and Learning Objectives

UCML™ Overview

Symbols

Combining Symbols

Interactive Demonstration

Supplementary Information

Summary

Where to go for more Information

Questions/Contact Info





UCML 1.1™ (User Community Modeling Language)

Introduction and Learning Objectives

Introduction

- Development History
- Use History

Learning Objectives

- The value of representing workload distributions visually.
- What UCML™ is and is not designed to be used for.
- To create UCML™ diagrams.
- To use these diagrams to aid in data gathering.
- To supplement UCML™ diagrams with a simple spreadsheet containing all the information required to create accurate performance test scripts.





UCML 1.1™ (User Community Modeling Language)

UCML 1.1™ Overview

UCML™ is a set of symbols that can be used to create visual system usage models and depict associated parameters.

Intended Use:

- Visually depict system with multiple usage paths and/or users.
- Document system usage and associated parameters.
- UCML™ is a modeling framework, not a standard.

Advantages of Use:

- Easier to create than many other methods.
- Intuitively understood by all members of the team.
- Gives all team members a common language to discuss usage models.





UCML 1.1™ (User Community Modeling Language)

UCML 1.1™ Overview

Applicability to Performance Testing

- Supplement or replace workload distributions, operational profiles, pivot tables, matrixes, and Markov chains.
- Make it possible to use the same model when discussing the system with both technical and non-technical team members.
- Develop automated test scripts from the model with no intermediate steps.
- Eliminate need for separate documentation of Performance Test Scenarios






UCML 1.1™ (User Community Modeling Language)

UCML™ Symbols

UCML™ Symbols represent possible paths through the system during a specific period of time.

Quantity Circle

- “How Many?” or “How Often?”
- Finite numbers or percentages enclosed by a circle.




UCML 1.1™ (User Community Modeling Language)

UCML™ Symbols

Description Line

- Solid horizontal lines that represent activities and user types.
- Label indicates user type, activity, or navigation path.
- Percentages indicate the frequency the activity or user type.





UCML 1.1™ (User Community Modeling Language)

UCML™ Symbols

Synchronization Point

- Used to depict convergence in...
 - Time
 - Navigational Location
- Dashed vertical line, typically with name above.

Sync Point






UCML 1.1™ (User Community Modeling Language)

UCML™ Symbols

Option Box

- Show optional activities or varied data along a common path.
- Represented by a dashed box suspended from a description line.
- Labeled to describes the option or data variance.
- Metadata described in associated spreadsheet.

Order Book (15%)




UCML 1.1™ (User Community Modeling Language)

UCML™ Symbols


Condition

- Represent navigational decision points based on returned data.



Loop

- A dashed semicircle represents a loop on the navigation path, where the activity encircled by the semicircle may be repeated.
- Number of iterations or the percentage of users repeating the activity is indicated in a quantity circle.




UCML 1.1™ (User Community Modeling Language)

UCML™ Symbols

Exit Path

- A downward-curving line pointing to a quantity circle indicates the number or percentage of users leaving the system at a specific point on the path.
- All entering users must exit.
- The type of exit should be noted by a label.




UCML 1.1™ (User Community Modeling Language)

UCML™ Symbols

Branch

- Represents an intersection where the user can choose among multiple paths.
- Quantity of users must be the same on both sides of the branch.




UCML 1.1™ (User Community Modeling Language)

UCML™ Symbols

Merge

- Inverse of a branch.
- May color code by user type.





UCML 1.1™ (User Community Modeling Language)

UCML™ Symbols

Summary

- Symbol libraries for MS Visio and SmartDraw available at <http://www.perftestplus.com>.
- Symbols are intended to be enabling and flexible, not limiting.
- Symbols are a framework, not a standard.
- If existing framework limits you, add your own symbols (and please email me so I can consider including your symbols in the next version – with proper accreditation).





UCML 1.1™ (User Community Modeling Language)

Combining Symbols into a Model

Overview

- Combining symbols is what makes UCML™ powerful.
- Symbols are combined to represent actual usage, not an approximation due to modeling limitations.
- Don't feel limited by published examples, it's good to combine symbols creatively (as long as it intuitive represents reality).
- Don't hesitate to estimate or guess when you don't know – it's easy to distribute the model to gather additional information.
- Remember that all users who enter the system must be accounted for across every vertical slice of the model.






UCML 1.1™ (User Community Modeling Language)

Combining Symbols into a Model

Example – System Entry






UCML 1.1™ (User Community Modeling Language)

Combining Symbols into a Model

Example – Navigate with Options






UCML 1.1™ (User Community Modeling Language)

Combining Symbols into a Model

Example - Looping






UCML 1.1™ (User Community Modeling Language)

Combining Symbols into a Model

Example – Conditional Navigation






UCML 1.1™ (User Community Modeling Language)

Combining Symbols into a Model


Example – Exit System



UCML 1.1™ (User Community Modeling Language)

Combining Symbols into a Model

Example – Putting it all together





UCML 1.1™ (User Community Modeling Language)

Interactive Exercise (On-Line Book Store)

Users:

- Four Types: New(20%), Members(70%), Admins(4%), Vendors(6%)
- All Enter through HomePage

New Users and Members:

- Search by Title, Author or Keyword
- Add books to cart, save cart

New Users – Create Account (i.e. become member)

Members – Login, Order, Update Account, Check Order Status





UCML 1.1™ (User Community Modeling Language)

Interactive Exercise (On-Line Book Store)

Administrators – Administrate Books and Orders

Vendors – Run Stock, Sales and Order Reports

Other things to think about:

- Navigation Paths
- Conditional Navigation
- Single User Multiple Activities (i.e. Looping)
- Exit and Abandonment situations
- Data Variance






UCML 1.1™ (User Community Modeling Language)

Interactive Exercise (On-Line Book Store)


Let's go!



SmartDraw.Ink



UCML 1.1™ (User Community Modeling Language)





UCML 1.1™ (User Community Modeling Language)

Supplementary Information

Overview

- Model alone doesn't tell the whole story.
- Must also document variances such as:
 - Specific inputs and location of data
 - Details of conditions
 - Logic behind exits
 - Variance patterns and distributions
 - Delays between activities
 - Synchronization Point details
- Model is of limited use without supplementary information (and vice versa).



UCML 1.1™ (User Community Modeling Language)

Activity						
Create Account						
Think Time (sec)	Min	Max	Std	Distribution		
	25.0	60.0	8.0	Normal		
Abandon (sec)	Min	Max	Std	Distribution	Event	
	60.0	120.0	N/A	NegExp	Abandon	
P/F Condition	If Fail, log data and abandon user.					
Acct Data	Field	Variable Name	Data Description		Data Location	
	Ccard	int_ccard	Valid C-card #'s		File.csv	
	Exp_date	int_exp	Valid E-date for C-card		File.csv	
	Name	str_cname	Valid Name for C-card		File.csv	
	Street	str_street	Valid Street for C-card		File.csv	
	City	str_city	Valid City for C-card		File.csv	
	State	str_state	Valid State for C-card		File.csv	
	Zip	str_zip	Valid zip for C-card		File.csv	
Sync Point						
Home Page						
Type	Parameter(s)					
Navigational	None					
Condition						
In Stock?						
Criteria	Resulting Activity(s)					
Yes	Purchase					
No	Exit					





UCML 1.1™ (User Community Modeling Language)

Summary

Value

- Intuitive to all members of the team.
- Replaces complex modeling and documentation methods.

Use

- Visualize and document system usage and parameters.
- Build Test Plans and Scripts directly from the model.

Usage Data Collection – Provides common language for data gathering.

Creation

- Create using common drawing software like MS Visio or SmartDraw.
- Use library of symbols

Supplementary Information

- Use spreadsheet (like Excel) to document associated data.
- Include all data needed for planning, scripting and coverage.





UCML 1.1™ (User Community Modeling Language)

Where to go for more Information

Official specification is maintained at: <http://www.perftestplus.com>

Examples of use for Performance Workloads:

User Experience, not Metrics and Beyond Performance Testing articles on <http://www.perftestplus.com> and <http://www.rational.net>

Version 0.9: documented by Nathan White, a retired military officer currently working for A. G. Edwards , based on *User Experience, not Metrics and Beyond Performance Testing* articles articles.

Version 1.0: initially published on the Rational Developers Network <http://www.rational.net>.




UCML 1.1™ (User Community Modeling Language)

Questions and Contact Info

Scott Barber
AuthenTec, Inc

E-mail:

sbarber@perftestplus.com
scott.barber@authentec.com



Forums:

www.QAForums.com
www.rational.net

Web Sites:

www.perftestplus.com
www.authentec.com



User Community Modeling Language (UCMLä) v1.1 for Performance Test Workloads

By Scott Barber

During the summer of 1999, I started trying to depict visually the often complex workloads that needed to be modeled for accurate performance testing. Because those early whiteboard sketches were so well received, I began using the same technique extensively to design and document performance test workloads. I later used the technique to demonstrate various workloads throughout my [“User Experience, Not Metrics”](#) series of articles. About the same time, I started jokingly referring to the technique as the User Community Modeling Language or UCML™. Much to my surprise, I received a lot of requests for the specification document for the language. Even more to my surprise, one of my readers (Nathan White, a retired military officer currently working for A. G. Edwards) wrote a specification document based on the articles and graciously sent me a copy.

Since time I have expanded my use of UCML™ to not just performance testing workloads, but to modeling all manners of system usage. From single user systems, to embedded system API's. This article describes UCML™ framework and discusses its use specifically for performance testing workloads. Additional examples can be found in many of my articles, presentations, and document samples on [RDN](#) and on [my Web site](#). I hope you find this modeling framework as useful as I have over the years.

UCMLä Overview

UCML™ is a set of symbols that can be used to create visual system usage models and depict associated parameters. When applied to Performance Testing these symbols can serve to represent the workload distributions, operational profiles, pivot tables, matrixes, and Markov chains that performance testers often employ to determine what activities are to be included in a test and with what frequency they'll occur. The resulting diagrams can be used effectively for documentation, even of test plans, automated test designs, and as a basis for discussions and data-gathering workshops. They can be used to review and verify workflow and workload requirements with business analysts and users.

I developed UCML™ over the course of several years during my work on dozens of projects, with input from numerous clients, colleagues, and friends. My intent was to create an intuitive visual model of the often complex mathematical models that go along with performance-related testing, not as a replacement for the mathematical models but as a supplement to them. This visualization technique has proven to be at least reasonably intuitive to testers, application users, developers, managers, and business owners alike. In my experience, it has enabled productive discussions about important topics like “Is this activity really that common?” and “Why does activity B have a prerequisite of activity D? That's not right,” rather than “How do I read this pivot table, again?”

While I draw most of my UCML™ models with SmartDraw, I still find myself hand drawing them in sketches, whiteboards, PowerPoint presentations, Microsoft Visio, and various other media. At this time, there's no "UCML™-compliant" drawing tool and I don't recommend any particular software product over any other to create these models – though I have created symbol libraries for Microsoft Visio and SmartDraw.


My sole intent in publishing this article is to provide access to a tool that performance test teams may find useful. This isn't an industry standard, nor has it been evaluated to comply with any industry standard or specification such as IEEE. You can use the symbols in whole or in part, and modify or improve upon them as you see fit. I ask only that if you have comments, improvements, or constructive criticisms, you send those to me by [e-mail](#) so that I can evaluate them for inclusion in any future documents about this technique.

Basic Symbols

UCML™'s basic symbols serve to represent possible usage through the system. In many cases, a usage path can also be thought of as an application session. One of the critical concepts of UCML™ is that the model represents system usage during a specific, finite period of time — often an hour. The fact that usage paths are the basis of UCML™ is part of what makes it powerful, because all members of the project team already have an understanding of how the system is used.

Quantity Circle

The quantity circle is used to answer the questions "How many...?" and "How often...?" Inside the circle is a number or a percentage.



A number is used when an exact quantity is being modeled (for instance, one administrator). A percentage is used when a portion of the entire population of the user community, regardless of the size of that population, is being modeled.

Description Line

Description lines are solid horizontal lines that represent activities and user types. Each description line is labeled with one or more descriptors indicating the user type, activity, or navigation path represented. Enclosed in parentheses after the descriptor is the percentage of total users of that type, or the percentage of users performing that activity or following that navigation path over the period of time represented by the user community model. In some cases, it is more descriptive to use a quantity circle to depict the volume or frequency of a particular user type or activity. In general, use a quantity circle when multiple labeled activities or on the same line have the same volume or frequency and use parentheses when the volume or frequency applies to one specific activity.

User Type Description Line

At the far left side of the model, a user type description line represents the type(s) of user(s) that will be accessing the application being modeled — for example, basic user, power user, administrator. The percentage associated with the user type is intended to indicate the proportion of all users who access the system represented by that type.



Activity Type Description Line

An activity type description line represents the activity or navigation path of each type of user through the system. The user actions/activities completed or the pages viewed on the navigation path are listed above the line. It's the modeler's choice whether to list each step of a particular activity or simply name the activity itself. The key point to note is that each horizontal line represents a straight-line path through that activity with no diversion.

Search Titles (15%)

This line may branch or merge (see below), representing a choice of navigation paths through the system. The percentage of users choosing a particular navigation path is indicated by a quantity circle at the beginning of the path. At any given point in the model, the aggregate of users on all navigation paths is 100% of the users visiting the site.

Synchronization Point

A vertical dashed line represents a synchronization (sync) point in the model. If the synchronization point is named, the name is shown above the line.

Sync Point



Synchronization points are used to depict convergence. There are two types of convergence that can be represented by the synchronization point symbol — convergence in time and in navigational location.

- A convergence in time means that the modeled user that reaches the symbolic sync point first will wait for all other modeled users in the system to also reach that point before proceeding. This is often useful when modeling messaging systems.

- A convergence in navigational location means that the modeled users all navigate past the same place in the application but not necessarily at the same time. A common example is the login page of a Web site. In that example, all users must enter their credentials on the same page before being permitted to see the other pages. Identifying these navigational synchronization points often becomes useful when developing scripts, as they can serve as common start/stop points for scripts, scriptlets, functions, procedures, split scripts, and such.

Some people find it useful to annotate the type of synchronization point parenthetically after the name — for instance, “Sync Point 1 (time)” or “Home Page (nav).”

Option Box

As users navigate through a system, they’re often presented with an option or asked to provide data to the system that doesn’t change their overall activity. These options are represented in the model by a dashed box suspended below the navigation path.


Order Book (15%)



The option box should be labeled with a word or phrase that describes the option or data that varies from user to user. The specific data will be recorded in the spreadsheet below the model, described later in the section [“Providing Supporting Information.”](#)


Condition

Conditions represent points in the model where users will change their navigation path based on the results displayed to them. In the example below, imagine a user trying to purchase a book. If after searching for the book, the user finds it to be in stock, the user follows the “Yes” path and purchases the book. If, however, the book isn’t in stock, the user follows the “No” path and abandons the system.




Loop

A dashed semicircle represents a loop on the navigation path, where the activity encircled by the semicircle is repeated. Either the number of iterations to be completed or the percentage of users to repeat the activity (not the percentage of all users represented by the model) is indicated in a quantity circle.




Exit Path

It's often important to model users exiting the system at points other than the end of a navigation path. A downward-curving line pointing to a quantity circle indicates the percentage of users leaving the system at a specific point on the path. Remember that all users entering the system must be shown to leave the system. The type of system exit should be noted by a label — for instance, “Log out” (if the user leaves the system via the preferred means) or “Abandon” (if the user doesn't leave the system via the preferred means).




The example below depicts multiple exit paths from one navigation path. In the example, 50% of the users are abandoning the system and 40% of the users are logging out and thus exiting the system in the preferred manner. (The other 10% are exiting from another navigation path, not shown.)




Branch

Most applications aren't limited to straight-line navigation paths. A group of users may start out performing the same activity only to later branch off into different navigation paths. If we think of an activity line as a road on which a car is traveling, then a branch represents an intersection where the driver can choose which direction to turn. The example below shows a single branch where one of two paths can be selected off the home page. The sum of the percentages of users on the branches must equal the percentage of users on the page leading into the branches. In the

example, the home page has 100% of the users and the sum of the percentages on the branches is 100%.




A single description line can have any number of branches, as shown below.




Merge

Applications with branching navigation paths often also have instances where different navigation paths merge back together. In keeping with the traffic analogy, this is similar to cars from different roads merging onto the same road. The example below shows two different paths converging on the Update Billing Information activity. Once again, the total percentage of users before the merge must equal the total percentage of users after the merge.



Another common use of the merge is to show different user types entering an application at the same point, as shown below. In this case each different user type is represented by a different color. This is done so that later in the model, activities that are specific to a particular user group can be identified by color. Each user type is followed by a parenthetical abbreviation that can also be used later in the model. This is particularly useful for models that must be represented in black and white.



Combining Symbols into a User Community Model

Combining the basic symbols is what gives UCML™ its power. It's through combining the symbols to represent all the possible user navigation paths through a system that visual models of entire communities are formed. Using the traffic analogy again, you can envision the lines in the model as roads and each modeled user as a car driving those roads. You can think of the places where two or more lines meet as intersections, synchronization points as traffic signals, and exits as off-ramps. Quantity circles show how heavily a section of "road" is traveled, thus creating a "map" of how users will traverse the application.

I'll build a UCML™ diagram for an online bookstore to demonstrate. Let's assume this is a new application so we have no existing usage data to analyze. Through a series of interviews we've collected the following information about the activities users conduct on the site and their anticipated relative volume:

- There will be four user types:
 - New Users (20%)

- Members (70%)
- Administrators (4%)
- Vendors (6%)
- All user types enter through the home page.
- New Users and Members can conduct the following activities:
 - Search books by
 - Title
 - Author
 - Keyword
 - Add one or more books to their cart
 - Save their cart to order later
- New Users will also be able to choose from these activities:
 - Create an account (after account is created, become Members)
- Members will also be able to choose from these activities:
 - Log in
 - Update their account
 - Order items
 - Check order status
- Administrators and Vendors must log in from the home page and then start on the administration page.
- Administrators can choose from the following activities:
 - Add new books
 - Check order status
 - Update order status
 - Cancel orders
- Vendors can run the following reports:
 - In stock
 - Sales last week
 - Sales last month

The UCML™ diagram in Figure 1 takes a first cut at representing this information and uses all of the UCML™ symbols.




Figure 1: UCML diagram for an online bookstore

It's obvious that this diagram contains information not mentioned in the interview summary. For the purposes of this first draft, the information was estimated. In some cases the first draft will contain notes to reviewers or question marks to indicate that more information is needed. A close look will also reveal that not all information from the interview summary is included. This is also typical for a first draft. The diagram can now be circulated back to the people who were interviewed so they can validate or correct navigation paths and user volumes and add or remove activities.

Providing Supplementary Information

Unfortunately, the UCML™ diagram alone doesn't provide all of the information required to implement the depicted workload. To fully implement the user community model, several more pieces of information are needed. This information includes how long users may spend on a page, what data may need to be entered on that page, and what the actual conditions are behind a condition symbol. The information itself is mostly useless without a model, and the model can't be implemented without this supporting information.

Instead of trying to cram all of this information onto the diagram, it makes sense to supplement the diagram with a spreadsheet. This spreadsheet organizes supporting information by model component (activity, sync point, condition, and so on) so that it's easy to relate it back to the

model. Figure 2 is a subset of the spreadsheet that contains the supporting information for the diagram in Figure 1. You can [download the template](#) for this spreadsheet if you want. The nature of much of this information — such as user think time, abandonment, and data variance — is discussed in more detail in the “[User Experience, Not Metrics](#)” and “[Beyond Performance Testing](#)” series.

Activity						
Member Login						
Think Time (sec)	Min	Max	Std	Distribution		
	6.0	18.0	2.0	Normal		
Abandon (sec)	Min	Max	Std	Distribution	Event	
	20.0	50.0	N/A	Linear	Repeat	
Pass/Fail Condition	If Fail, log data and repeat one time.					
Credentials	Field	Variable Name	Data Description		Data Location	
	Username	str_guid	Valid Usernames		Datapool	
	Password	str_pwd	Valid Passwords		Datapool	
Create Account						
Think Time (sec)	Min	Max	Std	Distribution		
	25.0	60.0	8.0	Normal		
Abandon (sec)	Min	Max	Std	Distribution	Event	
	60.0	120.0	N/A	NegExp	Abandon	
Pass/Fail Condition	If Fail, log data and abandon user.					
Acct Data	Field	Variable Name	Data Description		Data Location	
	Ccard	int_ccard	Valid C-card #s		File.csv	
	Exp_date	int_exp	Valid E-date for C-card		File.csv	
	Name	str_cname	Valid Name for C-card		File.csv	
	Street	str_street	Valid Street for C-card		File.csv	
	City	str_city	Valid City for C-card		File.csv	
	State	str_state	Valid State for C-card		File.csv	
	Zip	str_zip	Valid zip for C-card		File.csv	
Sync Point						
Home Page						
	Type	Parameter(s)				
	Navigational	None				
Condition						
In Stock?						
	Criteria	Resulting Activity(s)				
	Yes	Purchase				
	No	Exit				

Figure 2: Part of the spreadsheet that supports the UCMLä model in Figure 1

If done carefully, the UCML™ diagram and supporting spreadsheet are all you need in order to plan, design, and document any given workload distribution. And along with actual data files, this is all of the information you'll need to implement the workload distribution using your load-generation tool.

Summing It Up

The User Community Modeling Language (UCML™) is a simple yet powerful way to visually depict the workload distribution models and associated data necessary to create an effective performance test. The models created using UCML™ are easily understandable by users, managers, analysts, developers, and testers alike with little or no explanation. This allows for an ease of conversation and results in more accurate user models than simply presenting complex spreadsheets of data, thus increasing your confidence that your performance tests will accurately predict performance in production.

Revision History

- Ver. 1.1 created solely by Scott Barber in March 2004 and publicly released at StarEast in May 2004.
- Ver. 1.0 created solely by Scott Barber in November 2003 and publicly released in an article written for IBM-Rational on the Rational Developer Network in January 2004
- Ver 0.9 documented by Nathan White in August 2003 based on examples from *User Experience, not Metrics* articles publicly released on the Rational Developer Network throughout 2003.
- Ver 0.8 (undocumented) used solely by Scott Barber for various testing projects and *User Experience, not Metrics* articles throughout 2001, 2 and 3.
- Initial creation, 2000 with assistance from Chris Walters for a particular client engagement.

Acknowledgments

Thanks go to Nathan White for sharing with me the UCML™ specification he wrote for his company. Many of the examples in this article are largely unmodified from his specification. Thanks, Nate — I probably never would have formally defined UCML™ if not for your assistance.

About the Author

Scott Barber is a System Test Engineer and Quality Assurance Manager for [AuthenTec, Inc.](#) and a member of the Technical Advisory Board for [Stanley Reid Consulting, Inc.](#) With a background in network architecture, systems design, database

design and administration, programming, and management, Scott has become a recognized thought leader in the context-driven school of the software testing industry. Before joining AuthenTec, he was a consultant specializing in Performance Testing/Analysis, a Company Commander in the United States Army, a DBA and a Government Contractor in the transportation industry.

Scott is a Discussion Facilitator in the [Rational Developer Network public forums](#) and a moderator for the Performance Testing and Rational TestStudio related forums on [QAForums.com](#). [Scott's Web site](#) complements this series. Please visit it to find more detail on some topics and view slides from various presentations he's given recently. You can address questions/comments to him on either forum or contact him directly via [e-mail](#).

AuthenTec, Inc. is a leading semiconductor company providing advanced biometric fingerprint sensors to the PC, wireless, PDA, access control and automotive markets. AuthenTec's FingerLoc and EntréPad product families utilize the Company's patented TruePrint™ technology, the first technology capable of imaging everyone under virtually any condition.

Stanley Reid Consulting, Inc. (SRC) is a small, niche consulting company that focuses on IT organizational improvement and recruiting and staffing of technical experts. SRC helps your team achieve consistent, successful delivery of IT projects through the following services: IT Organizational Improvement Consulting, Expert Supplemental Staffing, Technical Recruiting & Placement.